F



FortiManager[™] Centralized Security Management

Take Control of Your Security Infrastructure

The FortiManager family delivers the versatility you need to effectively manage your Fortinet-based security infrastructure. FortiManager drastically reduces management costs, simplifies configuration, and accelerates deployment cycles, whether you are deploying new devices, installing security policies, or distributing updates.

FortiManager also provides crucial timesaving features like device auto-discovery, group management, global policies, auditing facilities, and the ability to manage complex VPN environments. FortiManager, coupled with the FortiAnalyzer™ family of centralized logging and reporting appliances, provides a comprehensive and powerful centralized management solution for your organization.

Key Features & Benefits

Integrated FortiAnalyzer Logging	This allows for a tighter integration and correlation of events and policies. A consolidated platform allows customers to more easily deploy Fortinet management products.
Hierarchical Objects Database	Facilitates reuse of common configurations across the organization in both local and global ADOM levels.
Automated Device Provisioning/ Centralized Policy Configuration	Reduces cost of deploying new FortiGate or FortiClient installations and maintains policies across all managed assets.
Role-Based Administration	Enables distributed administration, an important requirement for larger organizations.
Policy/Device Auditing	Allows you to prove compliance, and track any deviations from the required security policy.
In-View Policy Object Editing	Faster rulebase editing without opening new windows or changing context.
Device Profiles	Aids in mass provisioning of managed devices.
XML API	Web Services interface that enables users to integrate with provisioning systems and automate the configuration of the many devices that FortiManager is capable of managing.
JSON API	JSON API allows MSSPs to offer administrative web portals to customers.



Fortinet's Versatile Management Solution

Networks are constantly evolving due to threats, organizational growth or new regulatory/business requirements. Traditional management products focus on mitigating company-wide threats through firewall policies, firmware updates and keeping content security current.

FortiManager offers enterprise class features to contain these threats, but also provides flexibility to evolve along with your ever-changing network. In addition to being able to manage hundreds or even thousands of FortiGate devices, FortiManager now includes basic FortiAnalyzer logging and reporting functions for administrators who prefer a consolidated management platform.

Key tenets of Fortinet's management versatility:

- · Diversity of form factors
- Architectural flexibility
- · Highly customizable
- Simple licensing



FortiCare Worldwide 24x7 Support support.fortinet.com



FortiGuard Threat Research & Response www.fortiguard.com



Fortinet Developer Network Worldwide Developer Community

Administrative Domains (ADOMs) and Global Policy

Enables a primary administrator to create groups of devices for other administrators to monitor and manage

- Administrators can manage devices in their geographic location or business division
- Multiple FortiGate virtual domains (VDOMs) can be divided among multiple ADOMs
- Granular permissions allow assigning ADOMs and policies to particular users
- Administrators can only access devices or VDOMs assigned to them
- Create device configuration templates to quickly configure a new Fortinet appliance
- Within each ADOM, there is a common database of objects shared by all devices and policy packages allowing users to reuse similar configurations among a group of managed assets
- Global Policy capabilities are available on all FortiManager hardware models and virtual machines


JSON and XML (Web Services) APIs

- JSON API Allows MSSPs/large enterprises to create customized, branded web portals for policy and object administration
- XML API Enables administrators to automate common tasks such as provisioning new FortiGates and configuring existing devices

Fortinet Developer Network (FNDN)

Access tools, sample code, documentation and interact with the Fortinet developer community by subscribing to the Fortinet Developer Network.

Note: With the purchase of a FortiManager 1000 series or above, customers receive a complimentary 90 day trial access to FNDN.



Locally Hosted Security Content

Hosting security content locally allows the administrator greater control over security content updates and provides improved response time for rating databases. Includes support for:

- Antivirus definition updates
- Intrusion Prevention updates
- Vulnerability and Compliance Management updates
- Web Filtering (select systems)
- Antispam (select systems)

Command and Control

- Manage devices and endpoint agents individually or as logical groups
- Update device firmware
- Discover new devices automatically
- Create, deploy, and monitor virtual private networks
- Delegate control to other users with distributed administration features
- Audit configuration changes to ensure compliance

Monitor, Analyze and Report

- Access vital security and network statistics
- Real-time monitoring and integrated basic reporting provide visibility into network and user activity.
- For more powerful analytics, combine with a FortiAnalyzer appliance for additional data mining and graphical reporting capabilities

FortiManager Supported Devices

- FortiGate and FortiCarrier Consolidated Security Appliances
- FortiAP Wireless Access Points
- FortiMail Messaging Security Systems
- FortiWeb Web Application Security
- FortiAnalyzer Reporting and Analysis Appliances
- FortiSwitch ATCA Switching Platforms

SPECIFICATIONS

FORTIMANAGER APPLIANCES	FORTIMANAGER 200D	FORTIMANAGER 300D	FORTIMANAGER 1000D	FORTIMANAGER 3900E	FORTIMANAGER 4000E	
Capacity and Performance						
Licensed Network Devices/ADOMs (Maximum) ¹	30	300	1,000	10,000	4,000	
Admin Web Portals / Maximum Portal Users	-	-	1,000	10,000	4,000	
GB/Day of Logs	2	2	2	10	10	
Hardware Specifications						
Hardware Form Factor	1 RU Rackmount	1 RU Rackmount	2 RU Rackmount	2 RU Rackmount	2 RU Rackmount	
Total Interfaces	4x GE	4x GE	6x GE, 2x GE SFP	2x GE, 2x GE SFP+	4x GE, 2x GE SFP	
Console Port	RJ45	RJ45	RJ45	DB-9	DB-9	
_CD Display	No	No	No	Yes	Yes	
Number of Hard Drives	1	2	4	15	8 (8 Max)	
Removable Hard Drives	No	No	Yes	Yes	Yes	
Storage Capacity	1x 1 TB	2x 2 TB (4 TB Maximum)	4x 2 TB (8 TB Maximum)	15x 960 GB (14.4 TB Maximum)	8x 2TB (16 TB Maximum)	
RAID Storage Management	No	Yes (0, 1)	Yes (0, 1, 5, 6, 10)	Yes (0, 1, 5, 6, 10, 50, 60)	Yes (0, 1, 5, 6, 10, 50, 60)	
ligh Availability Support	Yes	Yes	Yes Yes		Yes	
Redundant Hot Swap Power Supplies	No	No	Yes	Yes		
Dimensions						
Height x Width x Length (inches)	1.8 x 17.1 x 13.9	1.7 x 17.1 x 14.3	3.5 x 17.1 x 14.5 3.5 x 17.2 x 26.9		3.4 x 19 x 29.7	
Height x Width x Length (cm)	4.5 x 43.4 x 35.2	4.4 x 43.4 x 36.4	9 x 43.4 x 36.8 89 x 437 x 684		8.7 x 48.2 x 75.5	
Neight	13.4 lbs (6.1 kg)	15.9 lbs (7.2 kg)	30.6 lbs (13.9 kg)	D.6 lbs (13.9 kg) 52 lbs (23.6 kg)		
Environment						
AC Power Supply	100–240V AC, 50–60 Hz, 6 Amp Maximum	100–240V AC, 50–60 Hz, 4.0 Amp Maximum	100–240V AC, 50–60 Hz, 100–240V AC, 50–60 Hz, 5 Amp Maximum 10 Amp Maximum		100–240V AC, 50–60 Hz, 10 Amp Maximum	
Power Consumption (Average)	60 W	162 W	133 W	470 W for 15 HDD	375.8 W	
leat Dissipation	205 BTU/h	666 BTU/h	546 BTU/h 1637 BTU/h		1947 BTU/h	
Operating Temperature	32-104°F (0-40°C)	50-95°F (10-35°C)	32-104°F (0-40°C)	50-95°F (10-35°C)	50–95°F (10-35°C)	
Storage Temperature	-13–158°F (-25–70°C)	-40-158°F (-40-70°C)	-13–158°F (-25–70°C)	-40-140°F (-40-60°C)	-40-149°F (-40-65°C)	
lumidity	5–95% non-condensing	8–90% non-condensing	5–95% non-condensing	5–95% (non-condensing)	20–90% non-condensing	
Operating Altitude	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	
Compliance						
Safety Certifications	FCC Class A Part 15, UL/CB/cUL, C-Tick, VCCI, CE	FCC Class A Part 15, UL/CB/cUL, C-Tick, VCCI, CE	FCC Class A Part 15, C-Tick, VCCI, CE, BSMI, UL/CB/cUL	FCC Part 15 Class A, C-Tick, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST	FCC Part 15 Class A, C-Tick, VCCI, CE, BSMI, KC, UL/CUL, CB, GOST	

FORTIMANAGER VIRTUAL APPLIANCES	FMG-VM-BASE	FMG-VM-10-UG	FMG-VM-100-UG	FMG-VM-1000-UG	FMG-VM-5000-UG	FMG-VM-U-UG
Capacity						
Licensed Network Devices / ADOMs (Maximum) ¹	10	+10	+100	+1,000	+5,000	Unlimited ²
Admin Web Portals / Maximum Portal Users ²	10	+10	+100	+1,000	+5,000	Unlimited ²
Device Quota ³	100 GB	200 GB	1 TB	4 TB	8 TB	16 TB
GB/Day of Logs	1	2	5	10	25	50
Virtual Machine						
Hypervisor Support		VMware ESX/ESXi 4.0/4.1/5.0/5.1/5.5, Microsoft Hyper-V 2008 R2 / 2012, Amazon (Amazon Web Services) AMI				
vCPU Support (Minimum / Maximum)		1 / Unlimited				
Network Interface Support (Minimum / Maximum)		1/4				
Storage Support (Minimum / Maximum)		80 GB / 16 TB				
Memory Support (Minimum / Maximum)		1 GB / 4 GB for 32-bit and 2 GB / Unlimited for 64-bit				

¹ Each Virtual Domain (VDOM) operating on a physical or virtual device counts as one (1) licensed network device.
² Limited in software to 10,000 devices, ADOMs, Web Portals, and Web Portal users.
³ Device quota is not stackable, this represents the maximum quota available with purchased license.









FortiManager 4000E



Yes

FortiManager 200D

High Availability Support



FortiManager 300D

FortiManager 3900E

FortiManager Virtual Appliance

FEATURES

	LOCALLY HOSTED SECURITY CONTENT					MISCELLANEOUS FEATURES			
	Antivirus	Intrusion Prevention	Vulnerability Management	Web Filtering	Antispam Databases	Shelf Manager	(VM Activation) Closed Network Mode	Global Policies	Web Portal
FortiManager 200D	Yes	Yes	Yes	Yes	Yes	No	No	Yes	No
FortiManager 300D	Yes	Yes	Yes	Yes	Yes	No	No	Yes	No
FortiManager 1000D	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager 3900E	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager 4000E	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager VM Base	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes
FortiManager VM Base + FMG-VM-10-UG	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes
FortiManager VM Base + FMG-VM-100-UG	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
FortiManager VM Base + FMG-VM-1000-UG	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager VM Base + FMG-VM-5000-UG	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager VM Base + FMG-VM-U-UG	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

ORDER INFORMATION

ADDITIONAL FORTIMANAGE	R ITEMS	
SKU		Description
FC-10-FNDN1-139-01-12		1 Year Subscription for 1 User to Fortinet Developer Network
FC-10-FNDN2-139-02-12		1 Year Subscription for Unlimited Users to Fortinet Developer Network
FORTIMANAGER VIRTUAL AP	PLIANCES	
SKU	Licensed Network Devices (Max)	Description ^₄
Built-in Evaluation	10	Built-in 15-day EVAL license, no activation required.
Full Evaluation (60-days)	10,000	EVAL license. License and activation required.
FMG-VM-Base	10	Base license for stackable FortiManager VM. Manages up to 10 FortiGate devices/Administrative Domains, 1 GB/day of logs and 100 GB device quota. Designed for AWS, VMware vSphere and Microsoft Hyper-V platforms.
FMG-VM-10-UG	+10	Upgrade license for adding 10 FortiGate devices/Administrative Domains; allows for total of 2 GB/day of logs and 200 GB device quota.
FMG-VM-100-UG	+100	Upgrade license for adding 100 FortiGate devices/Administrative Domains; allows for total of 5 GB/day of logs and 1 TB device quota.
FMG-VM-1000-UG	+1,000	Upgrade license for adding 1,000 FortiGate devices/Administrative Domains; allows for total of 10 GB/day of logs and 4 TB device quota.
FMG-VM-5000-UG	+5,000	Upgrade license for adding 5,000 FortiGate devices/Administrative Domains; allows for total of 25 GB/day of logs and 8 TB device quota.
FMG-VM-U-UG	Unrestricted ⁵	Upgrade license for adding unlimited FortiGate devices/Administrative Domains; allows for total of 50 GB/day of logs and 16 TB device quota.

⁴ Unlimited virtual CPUs. Memory is not restricted up to the operating system limit of 4 GB (32-bit) / Unlimited (64-bit)

⁵ Limited in software to 10,000 devices, ADOMs, Web Portals, and Web Portal users

FortiGuard® Security Subscription Services deliver dynamic, automated updates for Fortinet products. The Fortinet Global Security Research Team creates these updates to ensure up-to-date protection against sophisticated threats. Subscriptions include antivirus, intrusion prevention, web filtering, antispam, vulnerability management, application control and database security services.

FortiCare™ Support Services provide global support for all Fortinet products and services. FortiCare support enables your Fortinet products to perform optimally. Support plans start with 8x5 Enhanced Support with "return and replace" hardware replacement or 24x7 Comprehensive Support with advanced replacement. Options include Premium Support, Premium RMA, and Professional Services. All hardware products include a 1-year limited hardware warranty and 90-day limited software warranty.

Fortinet[®] Developer Network is subscription-based advanced support for Fortinet products, geared towards application and integration developers. This service covers advanced topics like the FortiManager™ Web Portal and XML APIs. Includes best practices, example code, and community-built management tools.

GLOBAL HEADQUARTERS EMEA SALES OFFICE



Fortinet Inc.

899 Kifer Road Sunnvvale, CA 94086 United States Tel: +1.408.235.7700 Fax: +1.408.235.7737

120 rue Albert Caquot 06560, Sophia Antipolis,

France Tel: +33 4 8987 0510 Fax: +33.4.8987.0501

APAC SALES OFFICE

300 Beach Road #20-01 The Concourse Singapore 199555 Tel: +65 6513 3730 Fax: +65.6223.6784

LATIN AMERICA SALES OFFICE

Prol. Paseo de la Reforma 115 Int. 702 Col. Lomas de Santa Fe, C.P. 01219 Del. Alvaro Obregón México D.F. Tel: 011-52-(55) 5524-8480

Copyright@ 2014 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. FMG-DAT-R22-201412 FST-PROD-DS-MGR17